



The American Orthopaedic
Society for Sports Medicine

AOSSM Concussion Statement

The release of the movie *Concussion* highlights concerns about football players developing chronic traumatic encephalopathy (CTE). Identifying, managing and preventing concussions is a long-standing priority of the American Orthopaedic Society for Sports Medicine (AOSSM) since 81% of its members serve as team physicians, with 57% taking care of football athletes at the youth, high school, collegiate and professional levels.¹

AOSSM is committed to publishing the most significant research on concussions through its three peer reviewed journals indexed on PubMed: *American Journal of Sports Medicine (AJSM)*, *Sports Health: A Multidisciplinary Approach* and *Orthopaedic Journal of Sports Medicine (OJSM)*. During the past seven years the Society published 101 manuscripts on the immediate and long-term impact of head trauma – *AJSM* (63 articles), *Sports Health* (28 articles) and *OJSM* (10 articles). During that time, *Sports Health* published 3 feature issues on head injuries, and a fourth issue is being published in the 2016 January/February issue.

The Society also supports concussion research with its formal affiliation with the Datalys Center for Sports Injury Research and Prevention. Through injury surveillance programs at the high school and collegiate levels, such as the High School NATION Program, NCAA Injury Surveillance System and Project Concussion Assessment Research and Education (CARE), which is funded by the Department of Defense and NCAA, Datalys Center is identifying health risks and developing prevention strategies related to sports injuries, including concussions. One such prevention strategy related to coaching and incidence of concussions in youth football was recently published in *OJSM*.²

Further, educating members, sports health professionals, athletes and their families is of paramount importance for AOSSM, which was founded in 1972 as a not-for-profit professional education and research organization. The Society's scientific and sports specific meetings provide the latest research related to concussion and all other sports related injuries. AOSSM regularly collaborates with other professional organizations to develop annual consensus statements in managing specific injuries, including concussions.³ Finally, the Society launched the STOP Sports Injuries program: (www.stopsportsinjuries.org) to provide athletes, their parents, coaches and others with authoritative information about concussions and youth sports injuries.

The movie *Concussion* draws important public attention to a significant sports injury. AOSSM will continue providing medical and scientific leadership on this critical condition for the entire sports community – athletes, teams, management, researchers and health care providers.

¹ 2013 AOSSM Member Survey

² Kerr ZY, Yeargin S, Valovich McLeod TC, et al. Comprehensive coach education and practice contact restriction guidelines result in lower injury rates in youth American football. *Orthop J Sports Med.* 2015.3:

³ Concussion (Mild Traumatic Brain Injury) and the Team Physician: Consensus Statement. www.sportsmed.org

Additional AOSSM journal concussion articles attached to this statement.

American Journal of Sports Medicine Concussion Citations

Jan 2009 - Dec 2015

www.ajsm.org

1. Athiviraham A, Bartsch A, Mageswaran P, et al. Analysis of baseball-to-helmet impacts in Major League Baseball. *Am J Sport Med.* 2012;40(12):2808-2814. doi:10.1177/0363546512461754.
2. Baugh CM, Kroshus E, Daneshvar DH, Filali NA, Hiscox MJ, Glantz LH. Concussion management in United States college sports: compliance with National Collegiate Athletic Association concussion policy and areas for improvement. *Am J Sport Med.* 2015;43(1):47-56. doi:10.1177/0363546514553090.
3. Broglio SP, Martini D, Kasper L, Eckner JT, Kutcher JS. Estimation of head impact exposure in high school football: implications for regulating contact practices. *Am J Sport Med.* 2013;41(12):2877-2884. doi:10.1177/0363546513502458.
4. Caswell S V, Lincoln AE, Almquist JL, Dunn RE, Hinton RY. Video incident analysis of head injuries in high school girls' lacrosse. *Am J Sport Med.* 2012;40(4):756-762. doi:10.1177/0363546512436647.
5. Chrisman SP, Schiff MA, Chung SK, Herring SA, Rivara FP. Implementation of concussion legislation and extent of concussion education for athletes, parents, and coaches in Washington State. *Am J Sport Med.* 2014;42(5):1190-1196. doi:10.1177/0363546513519073.
6. Colvin AC, Mullen J, Lovell MR, West RV, Collins MW, Groh M. The role of concussion history and gender in recovery from soccer-related concussion. *Am J Sport Med.* 2009;37(9):1699-1704. doi:10.1177/0363546509332497.
7. Covassin T, Elbin RJ, Bleecker A, Lipchik A, Kontos AP. Are there differences in neurocognitive function and symptoms between male and female soccer players after concussions? *Am J Sport Med.* 2013;41(12):2890-2895. doi:10.1177/0363546513509962.
8. Covassin T, Elbin RJ, Harris W, Parker T, Kontos A. The role of age and sex in symptoms, neurocognitive performance, and postural stability in athletes after concussion. *Am J Sport Med.* 2012;40(6):1303-1312. doi:10.1177/0363546512444554.
9. Covassin T, Moran R, Wilhelm K. Concussion symptoms and neurocognitive performance of high school and college athletes who incur multiple concussions. *Am J Sport Med.* 2013;41(12):2885-2889. doi:10.1177/0363546513499230.

10. Eckner JT, Oh YK, Joshi MS, Richardson JK, Ashton-Miller JA. Effect of neck muscle strength and anticipatory cervical muscle activation on the kinematic response of the head to impulsive loads. *Am J Sport Med.* 2014;42(3):566-576. doi:10.1177/0363546513517869.
11. Elbin RJ, Schatz P, Covassin T. One-year test-retest reliability of the online version of ImpACT in high school athletes. *Am J Sport Med.* 2011;39(11):2319-2324. doi:10.1177/0363546511417173.
12. Furman GR, Lin C-C, Bellanca JL, Marchetti GF, Collins MW, Whitney SL. comparison of the balance accelerometer measure and balance error scoring system in adolescent concussions in sports. *Am J Sport Med.* 2013;41(6):1404-1410. doi:10.1177/0363546513484446.
13. Gardner EC. Head, face, and eye injuries in collegiate women's field hockey. *Am J Sport Med.* 2015;43(8):2027-2034. doi:10.1177/0363546515588175.
14. Green GA, Pollack KM, D'Angelo J, et al. Mild traumatic brain injury in Major and Minor League Baseball players. *Am J Sport Med.* 2015;43(5):1118-1126. doi:10.1177/0363546514568089.
15. Hollis SJ, Stevenson MR, McIntosh AS, Shores EA, Collins MW, Taylor CB. Incidence, risk, and protective factors of mild traumatic brain injury in a cohort of Australian nonprofessional male rugby players. *Am J Sport Med.* 2009;37(12):2328-2333. doi:10.1177/0363546509341032.
16. Howell DR, Osternig LR, Chou L-S. Adolescents demonstrate greater gait balance control deficits after concussion than young adults. *Am J Sport Med.* 2015;43(3):625-632. doi:10.1177/0363546514560994.
17. Hutchison MG, Lawrence DW, Cusimano MD, Schweizer TA. Head trauma in mixed martial arts. *Am J Sport Med.* 2014;42(6):1352-1358. doi:10.1177/0363546514526151.
18. Hutchison M, Comper P, Mainwaring L, Richards D. The influence of musculoskeletal injury on cognition: implications for concussion research. *Am J Sport Med.* 2011;39(11):2331-2337. doi:10.1177/0363546511413375.
19. Kerr ZY, Hayden R, Dompier TP, Cohen R. Association of equipment worn and concussion injury rates in National Collegiate Athletic Association football practices: 2004-2005 to 2008-2009 academic years. *Am J Sport Med.* 2015;43(5):1134-1141. doi:10.1177/0363546515570622.
20. Kerr ZY, Marshall SW, Harding HP, Guskiewicz KM. Nine-year risk of depression diagnosis increases with increasing self-reported concussions in retired professional football players. *Am J Sport Med.* 2012;40(10):2206-2212. doi:10.1177/0363546512456193.
21. Kerr ZY, Mihalik JP, Guskiewicz KM, Rosamond WD, Evenson KR, Marshall SW. Agreement between athlete-recalled and clinically documented concussion histories in former collegiate athletes. *Am J Sport Med.* 2015;43(3):606-613. doi:10.1177/0363546514562180.

22. Kerr ZY, Register-Mihalik JK, Kroshus E, Baugh CM, Marshall SW. Motivations associated with nondisclosure of self-reported concussions in former collegiate athletes. *Am J Sport Med.* November 2015. doi:10.1177/0363546515612082.
23. Kim S, Endres NK, Johnson RJ, Ettlinger CF, Shealy JE. Snowboarding injuries: trends over time and comparisons with alpine skiing injuries. *Am J Sport Med.* 2012;40(4):770-776. doi:10.1177/0363546511433279.
24. King D, Hume PA, Brughelli M, Gissane C. Instrumented mouthguard acceleration analyses for head impacts in amateur rugby union players over a season of matches. *Am J Sport Med.* 2015;43(3):614-624. doi:10.1177/0363546514560876.
25. Kontos AP, Elbin RJ, Lau B, et al. Posttraumatic migraine as a predictor of recovery and cognitive impairment after sport-related concussion. *Am J Sport Med.* 2013;41(7):1497-1504. doi:10.1177/0363546513488751.
26. Kontos AP, Elbin RJ, Schatz P, et al. A revised factor structure for the post-concussion symptom scale: baseline and postconcussion factors. *Am J Sport Med.* 2012;40(10):2375-2384. doi:10.1177/0363546512455400.
27. Kostyun RO, Milewski MD, Hafeez I. Sleep disturbance and neurocognitive function during the recovery from a sport-related concussion in adolescents. *Am J Sport Med.* 2015;43(3):633-640. doi:10.1177/0363546514560727.
28. Kumar NS, Chin M, O'Neill C, Jakoi AM, Tabb L, Wolf M. On-field performance of National Football League players after return from concussion. *Am J Sport Med.* 2014;42(9):2050-2055. doi:10.1177/0363546514539449.
29. Lau BC, Collins MW, Lovell MR. Sensitivity and specificity of subacute computerized neurocognitive testing and symptom evaluation in predicting outcomes after sports-related concussion. *Am J Sport Med.* 2011;39(6):1209-1216. doi:10.1177/0363546510392016.
30. Lau BC, Kontos AP, Collins MW, Mucha A, Lovell MR. Which on-field signs/symptoms predict protracted recovery from sport-related concussion among high school football players? *Am J Sport Med.* 2011;39(11):2311-2318. doi:10.1177/0363546511410655.
31. Lichtenstein JD, Moser RS, Schatz P. Age and test setting affect the prevalence of invalid baseline scores on neurocognitive tests. *Am J Sport Med.* 2014;42(2):479-484. doi:10.1177/0363546513509225.
32. Lincoln AE, Caswell S V, Almquist JL, Dunn RE, Hinton RY. Video incident analysis of concussions in boys' high school lacrosse. *Am J Sport Med.* 2013;41(4):756-761. doi:10.1177/0363546513476265.

33. Lincoln AE, Caswell S V, Almquist JL, Dunn RE, Norris JB, Hinton RY. Trends in concussion incidence in high school sports: a prospective 11-year study. *Am J Sport Med.* 2011;39(5):958-963. doi:10.1177/0363546510392326.
34. Lopez V, Galano GJ, Black CM, et al. Profile of an American amateur rugby union sevens series. *Am J Sport Med.* 2012;40(1):179-184. doi:10.1177/0363546511427124.
35. Love S, Solomon GS. Talking with parents of high school football players about chronic traumatic encephalopathy: a concise summary. *Am J Sport Med.* 2015;43(5):1260-1264. doi:10.1177/0363546514535187.
36. Makdissi M, Darby D, Maruff P, Ugoni A, Brukner P, McCrory PR. Natural history of concussion in sport: markers of severity and implications for management. *Am J Sport Med.* 2010;38(3):464-471. doi:10.1177/0363546509349491.
37. Makdissi M, McCrory P, Ugoni A, Darby D, Brukner P. A prospective study of postconcussive outcomes after return to play in Australian football. *Am J Sport Med.* 2009;37(5):877-883. doi:10.1177/0363546508328118.
38. Marar M, McIlvain NM, Fields SK, Comstock RD. Epidemiology of concussions among United States high school athletes in 20 sports. *Am J Sport Med.* 2012;40(4):747-755. doi:10.1177/0363546511435626.
39. McClure DJ, Zuckerman SL, Kutscher SJ, Gregory AJ, Solomon GS. Baseline neurocognitive testing in sports-related concussions: the importance of a prior night's sleep. *Am J Sport Med.* 2014;42(2):472-478. doi:10.1177/0363546513510389.
40. McGuine TA, Hetzel S, McCrea M, Brooks MA. Protective equipment and player characteristics associated with the incidence of sport-related concussion in high school football players: a multifactorial prospective study. *Am J Sport Med.* 2014;42(10):2470-2478. doi:10.1177/0363546514541926.
41. Meehan WP, d'Hemecourt P, Collins CL, Comstock RD. Assessment and management of sport-related concussions in United States high schools. *Am J Sport Med.* 2011;39(11):2304-2310. doi:10.1177/0363546511423503.
42. Meehan WP, d'Hemecourt P, Comstock RD. High school concussions in the 2008-2009 academic year: mechanism, symptoms, and management. *Am J Sport Med.* 2010;38(12):2405-2409. doi:10.1177/0363546510376737.
43. Mihalik JP, Register-Mihalik J, Kerr ZY, Marshall SW, McCrea MC, Guskiewicz KM. Recovery of posttraumatic migraine characteristics in patients after mild traumatic brain injury. *Am J Sport Med.* 2013;41(7):1490-1496. doi:10.1177/0363546513487982.

44. Moser RS, Schatz P, Neidzowski K, Ott SD. Group versus individual administration affects baseline neurocognitive test performance. *Am J Sport Med.* 2011;39(11):2325-2330. doi:10.1177/0363546511417114.
45. Mucha A, Collins MW, Elbin RJ, et al. A brief vestibular/ocular motor screening (VOMS) assessment to evaluate concussions: preliminary findings. *Am J Sport Med.* 2014;42(10):2479-2486. doi:10.1177/0363546514543775.
46. Nakayama Y, Covassin T, Schatz P, Nogle S, Kovan J. Examination of the test-retest reliability of a computerized neurocognitive test battery. *Am J Sport Med.* 2014;42(8):2000-2005. doi:10.1177/0363546514535901.
47. Nelson LD, Pfaller AY, Rein LE, McCrea MA. Rates and predictors of invalid baseline test performance in high school and collegiate athletes for 3 computerized neurocognitive tests: ANAM, Axon Sports, and ImPACT. *Am J Sport Med.* 2015;43(8):2018-2026. doi:10.1177/0363546515587714.
48. Pearce KL, Sufrinko A, Lau BC, Henry L, Collins MW, Kontos AP. Near point of convergence after a sport-related concussion: measurement reliability and relationship to neurocognitive impairment and symptoms. *Am J Sport Med.* 2015;43(12):3055-3061. doi:10.1177/0363546515606430.
49. Rivara FP, Schiff MA, Chrisman SP, Chung SK, Ellenbogen RG, Herring SA. The effect of coach education on reporting of concussions among high school athletes after passage of a concussion law. *Am J Sport Med.* 2014;42(5):1197-1203. doi:10.1177/0363546514521774.
50. Rosenthal JA, Foraker RE, Collins CL, Comstock RD. National high school athlete concussion rates from 2005-2006 to 2011-2012. *Am J Sport Med.* 2014;42(7):1710-1715. doi:10.1177/0363546514530091.
51. Schatz P. Long-Term Test-Retest Reliability of baseline cognitive assessments using ImPACT. *Am J Sport Med.* 2010;38(1):47-53. doi:10.1177/0363546509343805.
52. Schatz P, Sandel N. Sensitivity and specificity of the online version of ImPACT in high school and collegiate athletes. *Am J Sport Med.* 2013;41(2):321-326. doi:10.1177/0363546512466038.
53. Schmidt JD, Guskiewicz KM, Blackburn JT, Mihalik JP, Siegmund GP, Marshall SW. The influence of cervical muscle characteristics on head impact biomechanics in football. *Am J Sport Med.* 2014;42(9):2056-2066. doi:10.1177/0363546514536685.
54. Solomon GS, Kuhn A. Relationship between concussion history and neurocognitive test performance in National Football League draft picks. *Am J Sport Med.* 2014;42(4):934-939. doi:10.1177/0363546513518742.

55. Sufrinko A, Pearce K, Elbin RJ, et al. The effect of preinjury sleep difficulties on neurocognitive impairment and symptoms after sport-related concussion. *Am J Sport Med.* 2015;43(4):830-838. doi:10.1177/0363546514566193.
56. Swenson DM, Yard EE, Fields SK, Comstock RD. Patterns of recurrent injuries among US high school athletes, 2005–2008. *Am J Sport Med.* 2009;37(8):1586-1593. doi:10.1177/0363546509332500.
57. Valovich McLeod TC, Bay RC, Lam KC, Chhabra A. Representative baseline values on the Sport Concussion Assessment Tool 2 (SCAT2) in adolescent athletes vary by gender, grade, and concussion history. *Am J Sport Med.* 2012;40(4):927-933. doi:10.1177/0363546511431573.
58. Vaughan CG, Gerst EH, Sady MD, Newman JB, Gioia GA. The relation between testing environment and baseline performance in child and adolescent concussion assessment. *Am J Sport Med.* 2014;42(7):1716-1723. doi:10.1177/0363546514531732.
59. Wasserman EB, Abar B, Shah MN, Wasserman D, Bazarian JJ. Concussions are associated with decreased batting performance among major league baseball players. *Am J Sport Med.* 2015;43(5):1127-1133. doi:10.1177/0363546515576130.
60. Wasserman EB, Kerr ZY, Zuckerman SL, Covassin T. Epidemiology of sports-related concussions in National Collegiate Athletic Association Athletes from 2009-2010 to 2013-2014: symptom prevalence, symptom resolution time, and return-to-play time. *Am J Sport Med.* November 2015. doi:10.1177/0363546515610537.
61. Xiang J, Collins CL, Liu D, McKenzie LB, Comstock RD. Lacrosse injuries among high school boys and girls in the United States: academic years 2008-2009 through 2011-2012. *Am J Sport Med.* 2014;42(9):2082-2088. doi:10.1177/0363546514539914.
62. Yengo-Kahn AM, Johnson DJ, Zuckerman SL, Solomon GS. Concussions in the National Football League: a current concepts review. *Am J Sport Med.* April 2015. doi:10.1177/0363546515580313.
63. Zuckerman SL, Kerr ZY, Yengo-Kahn A, Wasserman E, Covassin T, Solomon GS. Epidemiology of sports-related concussion in NCAA athletes from 2009-2010 to 2013-2014: incidence, recurrence, and mechanisms. *Am J Sport Med.* 2015;43(11):2654-2662. doi:10.1177/0363546515599634.

Epublished articles not yet in print: 2/63

Sports Health: A Multidisciplinary Approach Concussion Articles

Jan 2009-Jan. 2016

www.sportshealthjournal.org

1. Asif IM, Harmon KG, Drezner JA, O’Kane JW. Cerebral microhemorrhages in a collegiate football player: clinical implications in the management of sports concussion. *Sports Health*. 2010;2:391-394.
2. Bell DR, Guskiewicz KM, Clark MA, Padua DA. Systematic review of the Balance Error Scoring System. *Sports Health*. 2011;3:287-295.
3. Broglio SP, Guskiewicz KM. Concussion in sports: the sideline assessment. *Sports Health*. 2009;1:361-369.
4. Casson IR, Viano DC, Haacke EM, Kou Z, LeStrange DG. Is there chronic brain damage in retired NFL players? Neuroradiology, neuropsychology, and neurology examinations of 45 retired players. *Sports Health*. 2014;6:384-395.
5. Casson IR, Viano DC, Powell JW, Pellman EJ. Concussions involving 7 or more days out of the National Football League. *Sports Health*. 2011;3:130-144.
6. Casson IR, Viano DC, Powell JW, Pellman EJ. Repeat concussions in the National Football League. *Sports Health*. 2011;3:11-24.
7. Casson IR, Viano DC, Powell JW, Pellman EJ. Twelve years of National Football League concussion data. *Sports Health*. 2010;2:471-483.
8. Concannon LG, Kaufman MS, Herring SA. Counseling athletes on the risk of chronic traumatic encephalopathy. *Sports Health*. 2014;6:396-401.
9. Esquivel A, Haque S, Keating P, Marsh S, Lemos S. Concussion management, education, and return-to-play policies in high schools: a survey of athletic directors, athletic trainers, and coaches. *Sports Health*. 2013;5:258-262.
10. Foley CM, Wang DH. Central diabetes insipidus following a sports-related concussion: a case report. *Sports Health*. 2012;4:139-141.
11. Giza CC, DiFiori JP. Pathophysiology of sports-related concussion: an update on basic science and translational research. *Sports Health*. 2011;3:46-51.
12. Kilcoyne KG, Dickens JF, Svoboda SJ, et al. Repeated concussion rates for three Division I football programs: an evaluation of the new NCAA concussion policy. *Sports Health*. 2014;6:402-405.
13. Kostyun RO, Hafeez I. Protracted recovery from a concussion: a focus on gender and treatment interventions in an adolescent population. *Sports Health*. 2015;7:52-57.
14. Kuhl HN, Ritchie D, Taveira-Dick AC, Hoefling KA, Russo SA. Concussion history and knowledge base in competitive equestrian athletes. *Sports Health*. 2014;6:136-138.
15. Kutcher JS. Management of the complicated sports concussion patient. *Sports Health*. 2010;2:197-202.
16. Leddy JJ, Sandhu H, Sodhi V, Baker JG, Willer B. Rehabilitation of concussion and post-concussion syndrome. *Sports Health*. 2012;4:147-154.

17. Lin AC, Salzman FA, Bachman SL, et al. Assessment of parental knowledge and attitudes toward pediatric sports-related concussions. *Sports Health*. 2015;7:124-129.
18. Littleton C, Register-Mihalik JK, Guskiewicz KM. Test-retest repeatability of a computerized concussion test: CNS vital signs. *Sports Health*. 2015;7:443-447.
19. Lords Q, Freene JP. Traumatic migraine versus concussion: a case report. *Sports Health*. 2014;6:406-409.
20. McCrea HJ, Perrine K, Niogi S, Hartl R. Concussion in sports. *Sports Health*. 2013;5:160-164.
21. Mulligan IJ, Boland MA, McIlhenny CV. The Balance Error Scoring System learned response among young adults. *Sports Health*. 2013;5:22-26.
22. Provance AJ, Terhune EB, Cooley C, et al. The relationship between initial physical examination findings and failure on objective validity testing during neuropsychological evaluation after pediatric mild traumatic brain injury. *Sports Health*. 2014;6:410-415.
23. Register-Mihalik JK, Mihalik JP, Guskiewicz KM. Association between previous concussion history and symptom endorsement during preseason baseline testing in high school and collegiate athletes. *Sports Health*. 2009;1:61-65.
24. Rose SC, Fischer AN, Heyer GL. Physicians' management practices and perceived health risks when postconcussion symptoms persist. *Sports Health*. June 26, 2015. [issue 1/2016]
25. Ruhe A, Fejer R, Gansslen A, Klein W. Assessing postural stability in the concussed athlete: what to do, what to expect, and when. *Sports Health*. 2014;6:427-433.
26. Scopaz KA, Hatzenbuehler JR. Risk modifiers for concussion and prolonged recovery. *Sports Health*. 2013;5:537-541.
27. Shetty T, Raince A, Manning E, Tsiouris AJ. Imaging in chronic traumatic encephalopathy and traumatic brain injury. *Sports Health*. June 5, 2015. [issue 1/2016].
28. Williams RM, Welch CE, Weber ML, Parsons JT, Valovich McLeod TC. Athletic trainers' management practices and referral patterns for adolescent athletes after sport-related concussion. *Sports Health*. 2014;6:434-439.

Orthopaedic Journal of Sports Medicine Concussion Articles

2013-2015

www.ojsm.org

1. Buzas D, Jacobson NA, Morawa LG. Concussion from 9 youth organized sports: results from NEISS hospitals over an 11-year time frame, 2002-2012. *Orthop J Sports Med.* 2014;2:2325967114528460.
2. Jacobson NA, Buzas D, Morawa LG. Concussions from youth football: results from NEISS hospitals over an 11-year time frame, 2002-2012. *Orthop J Sports Med.* 2013;1:2325967113517860.
3. Kerr ZY, DeFreese JD, Marshall SW. Current physical and mental health of former collegiate athletes. *Orthop J Sports Med.* 2014;2:2325967114544107.
4. Kerr ZY, Yeargin S, Valovich McLeod TC, et al. Comprehensive coach education and practice contact restriction guidelines result in lower injury rates in youth American football. *Orthop J Sports Med.* 2015;3:2325967115594578.
5. Kerr ZY, Yeargin S, Valovich McLeod TC, et al. Comprehensive coach education reduces head impact exposure in American youth football. *Orthop J Sports Med.* 2015;3:2325967115610545.
6. Lawrence DW, Hutchison MG, Comper P. Descriptive epidemiology of musculoskeletal injuries and concussions in the National Football League, 2012-2014. *Orthop J Sports Med.* 2015;3:2325967115583653.
7. Miyashita TL, Diakogeorgiou E, Hellstrom B, Kuchwara N, Tafoya E, Young L. High school athletes' perceptions of concussion. *Orthop J Sports Med.* 2014;2:2325967114554549.
8. Plancher KD, Brooks-James A, Nissen CW, Diduch K, Petterson SC. Baseline neurocognitive performance in professional lacrosse athletes. *Orthop J Sports Med.* 2014;2:2325967114550623.
9. Sharma VK, Rango J, Connaughton AJ, Lombardo DJ, Sabesan VJ. The current state of head and neck injuries in extreme sports. *Orthop J Sports Med.* 2015;3:2325967114564358.
10. Smith DW, Myer GD, Currie DW, Comstock RD, Clark JF, Bailes JE. Altitude modulates concussion incidence: implications for optimizing brain compliance to prevent brain injury in athletes. *Orthop J Sports Med.* 2013;1:2325967113511588.